

Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

Claim 1 (Currently Amended): A safety station for a construction site comprising:

- a) a housing;
- b) a retractable stand coupled to said housing wherein said retractable stand includes a plurality of legs coupled to said housing, wherein said plurality of legs are retractable into ~~said housing~~ each other;
- c) a backboard coupled to said housing;
- d) at least one fastener coupled to said backboard;
- de) a plurality of tools coupled to said backboard, said plurality of tools comprising at least one first aid kit coupled to said backboard; and

e) a cover for covering said plurality of tools on said backboard, said cover coupled to said housing, and being movably attached to said housing, wherein said cover can be moved along said ~~housing~~ legs for opening and closing access to said housing.

2. (Currently Amended) The safety station as claimed in claim 1, wherein said legs comprise a plurality of telescoping legs that can be retracted ~~into said housing~~.

3. (Previously Presented) The safety station as claimed in claim 1, further comprising a plurality of hinges wherein said plurality of legs comprise a first set of legs and a second set of legs wherein said plurality of hinges are disposed between said first set of legs and said second set of legs and wherein said second set of legs can be folded up via said plurality of hinges and into said housing.

4. (Currently Amended) The safety station as claimed in claim 1, wherein said cover comprises a slidable cover comprising at least one pin ~~a plurality of tracks~~ and said legs comprise at least one track ~~housing comprise at least one runner~~ wherein said slidable cover having said pin slides over said ~~runners~~ pin to open said housing.

5. (Previously Presented) The safety station as claimed in claim 1, wherein said plurality of tools comprises at least one fire extinguisher.

6. (Canceled)

7. (Previously Presented) The safety station as claimed in claim 1, further comprising a lock for locking said cover to said housing.

8. (Previously Presented) The safety station as claimed in claim 6, wherein said lock is in the form of a loop coupled to said cover, and a loop coupled to said housing wherein a lock can be inserted into said loop coupled to said cover and said loop coupled to said housing to lock said cover to said housing.

9. (Previously Presented) The safety station as claimed in claim 1, further comprising a plurality of holders and a plurality of fasteners coupled to said plurality of holders wherein said fasteners are for fastening to said backboard.

10. (Previously Presented) The safety station as claimed in claim 1, further comprising a plurality of holders and a

plurality of magnetic elements, wherein at least one magnetic element is coupled to each of said plurality of holders.

11. (Previously Presented) The safety station as claimed in claim 8, wherein said backboard is comprised of a ferromagnetic material, and wherein said plurality of holders are placed on said backboard and attached to said backboard via said plurality of said magnetic elements.

12. (Previously Presented) The safety station as claimed in claim 9, wherein said fastener is in the form of a bolt and wherein said backboard is made from a drillable material for receiving said bolt.

13. (Withdrawn) A safety station for a construction site comprising:

a) a housing;

b) a retractable stand coupled to said housing wherein said retractable stand includes a plurality of legs coupled to said housing, wherein said plurality of legs are retractable into said housing;

- c) a backboard coupled to said housing;
- d) a plurality of tools coupled to said backboard; and
- e) a cover in the form of two doors for covering said plurality of tools on said backboard, said cover coupled to said housing, and wherein said doors are rotatably attached to said housing, wherein said plurality of legs include at least a first set of legs and at least a second set of legs that are slidable inside of said first set of legs in a telescoping manner.

14. (Withdrawn) The safety station as in claim 13, further comprising a plurality of holders and a plurality of fasteners coupled to said plurality of holders wherein said fasteners are for fastening said holders to said backboard and wherein said holders are for holding the following safety elements selected from the group consisting of an eye wash kit; a first aid kit; a compartment for gloves; a safety helmet; a fire extinguisher; and safety reports.